TOWN OF NORWELL



P.O. BOX 295 345 MAIN STREET NORWELL, MA 02061

Date: Monday, July 30, 2018 Location: Osborn Room

Time: 5:00 p.m.

BOARD OF HEALTH MEETING AGENDA

5:00 P.M. 47 Hemlock Drive – McSweeney Associates

- Reduction in groundwater separation from 4' to 3' (DEED RESTRICTION)
- Reduction in setback from Soil Absorption System (SAS) to wetlands from 100' to 51'
- Reduction in setback from Soil Absorption System (SAS) to cellar wall from 20' to 15'
- Conservation Commission invited to meeting for discussion
- 5:15 P.M. 60 Samuel Woodworth Road Morse Engineering
 - Reduction in groundwater separation from 4' to 3'(DEED RESTRICTION)
- 5:20 P.M. 62 Masthead Drive Al Loomis, McKenzie Engineering
 - Reduction in groundwater separation from 4' to 3' (DEED RESTRICTION)
- 5:25 P.M. 67 Mount Blue Street Grady Consulting
 - Use of Sieve Analysis in lieu of Percolation Test (DEED RESTRICTION)
 - Reduction in setback from Soil Absorption System (SAS) to wetlands from 100' to 68'
 - Reduction in setback from Soil Absorption System (SAS) to cellar wall from 20' to 10'
- 5:30 P.M. 45 Stetson Road Grady Consulting
 - Use of Sieve Analysis in lieu of Percolation Test (DEED RESTRICTION)
 - Reduction in setback from Soil Absorption System (SAS) to wetlands from 100' to 82'
- 5:35 P.M. 14 Simon Hill Road Cavanaro Consulting
 - Use of Sieve Analysis in lieu of Percolation Test (DEED RESTRICTION)
 - Reduction in groundwater separation from 4' to 3'
 - Reduction in setback from Soil Absorption System (SAS) to wetlands from 100° to $\pm -65^{\circ}$
 - Recycling Committee Reappointments: Marjorie J. Dorney, Holly Mayer Wenger, Carole
 - P. McCarthy, Susan H. Davis
 - Recycling Discussion