

TOWN OF NORWELL

P.O. BOX 295 345 MAIN STREET NORWELL, MA 02061

OFFICE OF BOARD OF HEALTH (781) 659-8016

> Date: Monday, September 18, 2023 Time: 5:00 PM

Location: Osborn Room

<u>REVISED</u> <u>BOARD OF HEALTH MEETING AGENDA</u>

5:00 PM	Call to Order / Approval of Agenda Approval of August 28, 2023 Meeting Minutes
5:00 PM	80 Norwell Avenue-Grady Consulting, LLC
	• Request for use of sieve analysis in lieu of standard perc test.
	90 Norwell Avenue-Grady Consulting, LLC
	Request for use of sieve analysis in lieu of standard.
	• 15.211(1)[5] Locating a system component or any part thereof beyond a property line of the facility, whether pursuant to an easement or otherwise, requires a variance issued in accordance with 310 CMR 15.410, except that the placement of fill or grading material beyond the property line of the facility, pursuant to an easement or otherwise, shall not require a variance under 310 CMR 15.410.
	154 Parker Street-Morse Engineering
	Request for use of sieve analysis in lieu of standard perc test.
	52 Barstow Avenue-Morse Engineering
	• To allow a reduction from 4' to 3' between ground water and the bottom of the SAS.
	• To allow an increase from 36" to 46" of cover over the septic tank.
	• To allow an increase from 36" to 46" of cover over the pump chamber.
5:15 PM	Public Hearing
	• To consider changes to the Board of Health Rules and Regulations regarding the sanitary disposal of sewage.

5:30 PM Public Hearing

• To consider changes to the Board of Health Rules and Regulations regarding the sale of tobacco products.